

The Basic Percent Equation

The basic percent equation can be used to solve percent problems. The basic percent equation has three parts; the percent, the base and the amount.

BASIC PERCENT EQUATION

Percent × Base = Amount P × B = A

P, B and A are variables. You must know 2 of the 3 to solve the equation. To solve a percent problem you must be able to identify the different parts of the equation.

- 1. Look for the percent first. It will either be given or it will say "what percent", which will tell you that the percent is the part that is missing.
- 2. Find the base next. The base always follows "percent of". This might be in words or it might be "% of", using the symbol for percent.
- 3. Any remaining number must be the amount. It will often be next to the word "is", which translates to the equal sign.

EXAMPLE: What is 35% of 200?

- 1. The percent is given. (35%)
- 2. After "% of" comes the base. (200)
- 3. The amount is missing.

 $\begin{array}{rcl} P & \times & B & = & A \\ 35\% & \times & 200 & = & A \end{array}$

In order to work with the percent we must convert it to an equivalent decimal or fraction. A decimal is usually easier unless the percent gives a repeating decimal.

$$35\% = 35(0.01) = 0.35$$

SOLVE: $P \times B = A$ $0.35 \times 200 = A$ 70 = A35% of 200 = 70

EXAMPLE: Find 33¹/₃% of 96.

- 1. The percent is given. $(33\frac{1}{3}\%)$
- 2. After "% of" comes the base (96).
- 3. The amount is missing.

 $\begin{array}{rcl} P & \times & B & = & A \\ 33^{1/3}\% & \times & 96 & = & A \end{array}$

This instructional aid was prepared by the Tallahassee Community College Learning Commons.

In this problem you will want to change $33\frac{1}{3}\%$ to a fraction to avoid a repeating decimal.

$$33\frac{1}{3}\% = 33\frac{1}{3} \times \frac{1}{100}$$
$$= \frac{100}{3} \times \frac{1}{100}$$
$$= \frac{1}{3}$$
SOLVE: P × B = A
$$\frac{1}{3} \times 96 = A$$
$$\frac{1}{3}(96) = A$$
$$32 = A$$
$$\frac{1}{3} \text{ of } 96 \text{ is } \underline{32}$$

EXAMPLE: 30% of what is 240?

- 1. The percent is given. (30%)
- 2. After "% of" is the word "what". The base is missing.
- 3. The amount must be 240.

Change 30% to the equivalent decimal: 30(0.01) = 0.3

$0.3 \times B$	=	240	
0.3 B	=	240	
$\frac{0.3}{0.3} B$	=	$\frac{240}{0.3}$	$0.3\overline{)240} = 3\overline{)2400}$
B =	-	800	

30% of 800 is 240

This instructional aid was prepared by the Tallahassee Community College Learning Commons.

EXAMPLE: What percent of 45 is 9?

- 1. The percent is missing.
- 2. After "percent of" comes the base (45).
- 3. The amount must be 9.

$$P \times B = A$$

$$P \times 45 = 9$$

$$45P = 9$$

$$\frac{45}{45}P = \frac{9}{45}$$

$$P = \frac{1}{5}$$

The question asked for the percent so we must change $\frac{1}{5}$ to a percent.

$$\frac{1}{5} (100\%) = \frac{1}{5} \times \frac{100}{1} \% = \frac{100}{5} \% = 20\%$$

Therefore, <u>20%</u> of 45 is 9.

EXERCISES:

- 1. What percent of 20 is 12?
- 2. What is 27% of 300?
- 3. $66^{2}/_{3}\%$ of what number is 150?
- 4. Find 48% of 1600.
- 5. 50 is what percent of 800?
- 6. 12.5% of what number is 125.
- 7. What is $16^{2/3}\%$ of 120?
- 8. What percent of 140 is 490?

<u>KEY:</u>

- P = 60%
 A = 81
 B = 225
 A = 768
 P = 6.25%
- 6. B = 1000
- 7. A = 20
- 8. P = 350%

This instructional aid was prepared by the Tallahassee Community College Learning Commons.